

Easy Lift Patient Lifting System

- Heavy-gauge steel construction
- Six-Point spreader bar with 360° rotation tilts to enhance comfort and safety
- Uses Lumex six-point, four-point, or two-point slings
- Unique, ergonomic foot pedal leg opening
- Large, easy to grip handles for easy maneuvering
- Lower base height maximizes stability and fits under most beds
- Rubber base coating protects furniture and walls
- 24V DC motor allows quiet smooth operation
- Ergonomically designed hand pendant with pendant hook
- Warning beep for low battery charge and weight capacity levels
- Easy access emergency stop button
- Emergency manual lowering device
- White powder-coated finish
- Accessory storage bag included for slings and charger
- Optional digital scale available
- Maximum Weight Capacity 400 lb - EVENLY DISTRIBUTED
- Designed to meet the requirements of HCPCS Code E0635

Warranty:

Frame and spreader bar three-year limited
Actuator two year limited
Batteries one year limited

LF1050 1 ea

Specifications

Floor clearance.....	4.5"
Spreader bar minimum height.....	15.5"
Spreader bar maximum height.....	65"
Overall length.....	41.0"
Overall width.....	26.5"
Minimum base width.....	26.5"
Maximum base width.....	38.0"
Maximum weight capacity.....	400 lb
	EVENLY DISTRIBUTED
Product weight.....	114.5 lb



Easy Lift Patient Lifting System - Bariatric

- Heavy-gauge steel construction
- Six-Point spreader bar with 360° rotation tilts to enhance comfort and safety
- Uses Lumex six-point, four-point, or two-point slings
- Unique, ergonomic foot pedal leg opening
- Large, easy to grip handles for easy maneuvering
- Lower base height maximizes stability and fits under most beds
- Rubber base coating protects furniture and walls
- 24V DC motor allows quiet smooth operation
- Ergonomically designed hand pendant with pendant hook
- Warning beep for low battery charge and weight capacity levels
- Easy access emergency stop button
- Emergency manual lowering device
- White powder-coated finish
- Accessory storage bag included for slings and charger
- Optional digital scale available
- Maximum Weight Capacity 600 lb - EVENLY DISTRIBUTED
- Designed to meet the requirements of HCPCS Code E0635

Warranty:

- Frame and spreader bar three-year limited
- Actuator two year limited
- Batteries one year limited

LF1090 1 ea



Specifications

Floor clearance.....	5.0"
Spreader bar minimum height.....	22.0"
Spreader bar maximum height.....	71.0"
Overall length.....	50.0"
Overall width.....	26"
Minimum base width.....	26"
Maximum base width.....	43.0"
Maximum weight capacity.....	600 lb
	EVENLY DISTRIBUTED
Product weight.....	137.0 lb



Lift Scale

- Digital scale easily attaches to Lumex LF1050 and LF1090 Patient Lifts
- Accurately weighs patients during daily lifts
- Combines the latest microprocessor and load cell technology to provide accurate and repeatable weight data
- Easy 4-button operation
- Weight is displayed for 5 minutes
- Auto power-off prolongs battery life
- Low battery indicator
- Measures pounds or kilograms
- Maximum weight capacity 600 lb
- Comes complete with attachment hardware
- 2 year limited warranty

DSC250 1 ea



Everyday Electric Lift

- Heavy-gauge steel construction
- Six-point spreader bar with 360° rotation
- Uses Lumex® six-point, four-point slings or 2-point slings
- Manually adjustable base
- 24V DC motor allows quiet smooth operation
- Ergonomically designed hand pendant with pendant hook
- Easy access emergency stop button
- Maximum weight capacity 400 lb
- Optional digital scale available
- Designed to meet the requirements of HCPCS code:E0635
- 1 year limited warranty

LF1040 Blue

LF1041 Black/Silver Hammertone

Specifications

Type.....	Electric	Overall Width.....	25.6"
Max. Weight Capacity.....	400 lb	Max. Base Width.....	39.4"
Floor Clearance.....	5.5"	Min. Base Width.....	25.6"
Lifting Range Min. Height.....	27.4"	Weight.....	115.0 lb
Max. Height.....	77.7"	Motor.....	24v DC
Overall Length.....	45.3"	Warranty Frame.....	1 year
Overall Height.....	55.1"	Battery.....	1 year



Hydraulic Lift

- Heavy gauge steel construction
- Six point spreader bar with 360° rotation
- Uses Lumex® six-point, four-point or two-point slings
- Foot pedal manually adjustable base
- Ergonomic placement of hydraulic pump handle facilitates ease of use
- Disassembles for easy storage
- Maximum weight capacity 400 lb
- Optional digital scale available
- Designed to meet the requirements of HCPCS code:E0630
- 1 year limited warranty

Specifications

Type.....	Hydraulic
Max Weight Capacity.....	400 lb
Floor Clearance.....	4.5"
Lifting Range Min Height.....	24" (75.5" max)
Max Height.....	77.7"
Overall Length.....	51"
Overall Height.....	55.1"
Overall Width.....	39.7"
Max Base Width.....	39.7"
Min Base Width.....	25.4"
Weight.....	90 lb
Warranty Frame.....	1 yr.

Blue
LF1030 1 ea

Black/Silver Vein Hammertone
LF1031 1 ea
LF1031FP with foot pedal adjustment 1 ea



Open



Closed



LF1030



LF1031FP



Digital Lift Scale

- Digital scale easily attaches to Lumex patient lifts
- Completely self-contained
- Combines the latest microprocessor and load cell technology to provide accurate and repeatable weight data with a calibrated accuracy of 0.1%
- Measures pounds or kilograms
- Maximum weight capacity 400 lb
- Comes complete with attachment hardware
- 1 year limited warranty

LF1009A Fits LF1030 and LF1040 1 ea



Easy Lift STS

- Heavy-gauge steel construction
- Designed to provide quick, safe assistance to those who have trouble standing
- Unique, ergonomic foot pedal base opening
- Large, easy to grip handles for easy maneuvering
- Lower base height maximizes stability and fits under most beds
- Rubber base coating protects furniture and walls
- Adjustable knee pad unit
- Quick release removable foot platform
- Optional buttock strap for patients requiring additional support
- 24V DC motor allows quiet, smooth operation
- Ergonomically designed hand pendant with pendant hook
- Warning beep for low battery charge and weight capacity levels
- Easy access emergency stop button
- White powder-coated finish
- Accessory storage bag included for slings and charger
- Interchangeable battery works with other Lumex Easy Lifts
- Easy access emergency stop button
- Maximum Weight Capacity 400 lb - EVENLY DISTRIBUTED
- Designed to meet the requirements of HCPCS Code E0635

Warranty:

- Frame and spreader bar three-year limited
- Actuator two-year limited
- Batteries one-year limited

LF2020 1 ea

Specifications

Floor clearance.....	4.5"
Spreader bar minimum height.....	33.0"
Spreader bar maximum height.....	68.0"
Overall length.....	40.0"
Minimum base width.....	25.5"
Maximum base width.....	37.0"
Maximum Weight Capacity.....	400 lb - EVENLY DISTRIBUTED
Product weight.....	117.0 lb



Bariatric Easy Lift STS

- Heavy-gauge steel construction
- Designed to provide quick, safe assistance to those who have trouble standing
- Unique, ergonomic foot pedal base opening
- Large, easy to grip handles for easy maneuvering
- Lower base height maximizes stability and fits under most beds
- Rubber base coating protects furniture and walls
- Adjustable knee pad unit
- Quick release removable foot platform
- Optional buttock strap for patients requiring additional support
- 24V DC motor allows quiet, smooth operation
- Ergonomically designed hand pendant with pendant hook
- Warning beep for low battery charge and weight capacity levels
- Easy access emergency stop button
- White powder-coated finish
- Accessory storage bag included for slings and charger
- Interchangeable battery works with other Lumex Easy Lifts
- Easy access emergency stop button
- Maximum Weight Capacity 600 lb - EVENLY DISTRIBUTED
- Designed to meet the requirements of HCPCS Code E0635

Warranty:

Frame and spreader bar three-year limited
Actuator two-year limited
Batteries one-year limited

LF2090 1 ea

Specifications

Floor clearance.....4.5"
Spreader bar minimum height33.0"
Spreader bar maximum height68.0"
Overall length40.0"
Minimum base width.....25.5"
Maximum base width.....37.0"
Maximum weight capacity 600 lb
EVENLY DISTRIBUTED
Product weight..... 122.0 lb



Stand Assist

The Lumex Stand Assist is a transport assistance unit that keeps the resident actively engaged in the transport process. Transport functions of all kinds are quick, convenient, and require minimal caregiver assistance. Users grasp the middle bar and use their own strength to pull themselves up into position. A padded split seat swings out to allow loading or unloading, then swings back to form a comfortable and stable transport seat. The Stand Assist is a convenient toileting alternative to a wheelchair.

- 400 lb safe working load
- Padded dual knee pads and seat pads for comfortable transport
- Stable base with locking rear casters
- Fits easily through narrow doorways
- Affordable alternative to electric sit-to-stand lifts

Note: The Lumex Stand Assist is designed for residents who have the strength and stability to lift and support themselves. We recommend an electric sit-to-stand lift for residents with limited strength and stability.

LF1600 Stand Assist 1 ea

Specifications

Maximum Width.....25"
 Maximum Height.....42.5"
 Overall Length.....33.5"
 Unit Weight.....61 lb
 Front Base Height.....5"



The user grasps the middle bar and uses their own strength to pull themselves up into position.



Caregiver swivels seat in place and transports user from one object to another.



2-Point Slings

- One piece sling for use with 2-point spreader.
- Provides support from shoulders to knees.
- Used for transferring, weighing or toileting.
- For use with chain set, Item GF133-S-C (not included with sling, sold separately).
- Canvas slings are green. Nylon slings are white.
- Designed to meet the requirements of HCPCS Code: E0621.
- 6 month limited warranty.

220 lb. Weight Capacity

Canvas Fabric

GF112-C-LC	Without Commode Opening	1 ea
GF113-C-LC	With Commode Opening	1 ea


Nylon Fabric

GF112-N-LC	Without Commode Opening	1 ea
GF113-N-LC	With Commode Opening	1 ea

400 lb. Weight Capacity

Heavy Duty Canvas Fabric

GF114-C-LC	Without Commode Opening	1 ea
GF115-C-LC	With Commode Opening	1 ea



Sling Type	Body Width	Body Length	Commode Opening Width	Commode Opening Length
Without Commode Opening	26"	41 ½"	NA	NA
With Commode Opening	26"	41 ½"	6 ¾"	10 ⅝"



Graham-Field Health Products

2935 Northeast Parkway
Atlanta, Georgia 30360

2007© Graham-Field Health Products

For Placing Orders:

1-800-347-5678

Fax: 1-800-726-0601

www.grahamfield.com



GF0700193RevA07

Full-Body Fabric Sling

- Fully padded fabric that offers a soft yet supportive surface
- Offers full head and neck support
- For use with 4-point spreader option
- Designed to meet the requirements of HCPCS code: E0621
- 6-month limited warranty



Item	Sling Size	Accent Color	Body Width	Body Length	Maximum Weight Capacity - Evenly Distributed
F112	Medium	Red	42 3/4"	50 3/4"	450 lb
F113	Large	Green	44 3/4"	54 1/4"	450 lb
F117	X-Large	Blue	44 3/4"	60 1/4"	450 lb





Full-Body Mesh Sling

- Quick draining/drying mesh fabric offers full head and neck support
- For use with 4-point spreader option
- Designed to meet the requirements of HCPCS code: E0621
- 6-month limited warranty



Item	Sling Size	Accent Color	Body Width	Body Length	Maximum Weight Capacity - Evenly Distributed
FM110	Medium	Red	42 3/4"	50 3/4"	450 lb
FM111	Large	Green	44 3/4"	54 1/4"	450 lb
FM140	XX-Large	Yellow	42"	51"	600 lb





Full-Body Mesh Commode Sling

- Quick draining/drying mesh fabric offers full head and neck support
- For use with 4-point spreader option
- Designed to meet the requirements of HCPCS code: E0621
- 6-month limited warranty




Item	Sling Size	Accent Color	Body Width	Body Length	Commode Opening to Top of Back	Maximum Weight Capacity - Evenly Distributed
FMC114	Medium	Red	42 3/4"	50 3/4"	34 3/4"	450 lb
FMC115	Large	Green	44 3/4"	54 1/4"	38"	450 lb
FMC116	X-Large	Blue	44 3/4"	60 1/4"	43"	450 lb
FMC141	XX-Large	Yellow	42"	51"	41 1/2"	600 lb



SURELIFT™ Universal Slings

- Provides excellent patient comfort and security
- Reinforced back for support
- Non-mesh slings have padding on legs and back
- Height-Adjustable straps
- Easy to use
- Machine washable
- Six point connectivity is designed to enhance positioning and safety
- Designed to meet the requirements of HCPCS Code: E0621
- 6 month limited warranty



		Body Width	Body Length	Total Width	Total Length	Weight Capacity
UP892	Medium	38"	25"	78"	66"	400 lb
UP893	Large	45"	25"	80"	72"	400 lb
UP894	XX-Large, Bariatric	48"	28"	88"	76"	600 lb

Also available in mesh:

MS882	Medium	38"	25"	78"	66"	400 lb
MS883	Large	45"	25"	80"	72"	400 lb



MS882




SURELIFT™ Universal Slings with Full Head Support

- Provides excellent patient comfort and security
- Reinforced back for support
- Non-mesh slings have padding on legs and back
- Height-Adjustable straps
- Easy to use
- Machine washable
- Six point connectivity is designed to enhance positioning and safety
- Designed to meet the requirements of HCPCS Code: E0621
- 6 month limited warranty

		Body Width	Body Length	Total Width	Total Length	Weight Capacity
UPH862	Medium	38"	34"	78"	75"	400 lb
UPH863	Large	44 ½"	40"	80"	82"	400 lb
UPH864	XX-Large, Bariatric	45"	44"	85"	100"	600 lb

Also available in mesh:

UMH832	Medium	38"	34"	78"	75"	400 lb
UMH833	Large	44 ½"	40"	80"	82"	400 lb



Hoyer Compatible Padded Slings

- Deluxe closed cell padding with four point loops for comfort and safety
- Available with or without head support
- Durable polyester material is manufactured to the same weight and size specifications as the name brand
- Value priced without compromising on quality
- Designed to meet the requirements of E0621
- 6-month warranty

DSHC70000	Size XL	600 lbs. weight capacity (Best fit 270-600 lbs)	1 ea
DSHC70001	Size Large	500 lbs. weight capacity (Best fit 198-350 lbs)	1 ea
DSHC70002	Size Medium	500 lbs. weight capacity (Best fit 99-210 lbs)	1 ea

with Head Support

DSHC70010	Size XL	600 lbs. weight capacity (Best fit 270-600 lbs)	1 ea
DSHC70011	Size Large	500 lbs. weight capacity (Best fit 198-350 lbs)	1 ea
DSHC70012	Size Medium	500 lbs. weight capacity (Best fit 99-210 lbs)	1 ea



DSHC70002




DSHC70012



Padded Toileting Sling

- Provides an open area from the middle of the back to the middle of the thigh
- Ideal for changing incontinence pads or toileting
- Designed to meet the requirements of HCPCS Code:E0621
- 400 lb maximum weight capacity
- 6-month limited warranty

TP332 Medium 1 ea
TP333 Large 1 ea



Item	Sling Size	Body Width	Body Length	Total Width	Total Length
TP332	Medium	33 ¼"	11 ½"	50 ¾"	56 ¼"
TP333	Large	36 ½"	14"	56 ½"	65 ½"



Deluxe Sit-to-Stand Padded Slings

- Cushioned support panels under the arm and lumbar areas enhance patient comfort
- The unique cross-over strap and non-slip inner pad keep the sling in place so that it does not ride up
- Optional stand Assist Buttocks Strap is available for initial lift assistance
- 6-month limited warranty
- For use with LF2020 and LF2090 STS lifts

		Torso Girth	Weight Capacity
DSLSA1	Small	26" – 43"	400 lbs
DSLSA2	Medium	29" – 48"	400 lbs
DSLSA3	Large	36" – 59"	400 lbs
DSLSA4	XX-Large-Bariatric	50" – 79"	600 lbs

